See Instructions on back of page 6.

Department of Toxic Substances Control

UNIFORM HAZARDOUS						Sacramento, Californi
	1. Generator's US EPA ID		nifest Document	_	2. Page 1	Information in the shaded are is not required by Federal law
WASTE MANIFEST	CADO865	1 9 9 9 5 4	6 3	7 9	of 1	
3. Generator's Name and Mailing Address		* 1		A. State M	anifest Document	~°9°2746379
Douglas Aircraft Compa	•		59	100		37140313
19503 S. Normandie Ave				B. State Ge	nerator's ID	
4. Generator's Phone (310 533-792	26 or (310) 533	-7231	.v	HI A	H 0 3 6	005698
5. Transporter 1 Company Name	6. US I	EPA ID Number		C. State Tr	ansporter's ID	¥23.552
Laidlaw Environmental	Services			D. Transpo	ter's Phone	
	L A	D 0 0 0 8 BEPA ID Number	3 1 2 1	E CL. F.	insporter's ID	10) 518-4700
7. Transporter 2 Company Name	8. ੂਪਤ ।	EPA ID Number		E. State He	insponer s iiu	
					ter's Phone	。 [1] [1] [1] [1] [1] [1] [1] [1] [1] [1]
9. Designated Facility Name and Site Address		EPA ID Number		G. State Fo	cility's ID	7030993
Norris Environmental S	Services			<u> </u>	10517	16/06/7/14
5215 S. Boyle Avenue				H. Facility's	Phone	
Los Angeles, CA 90058	C A	D 0 9 7 0 3				# # # # # # # # # # # # # # # # # # # #
11. US DOT Description (including Proper Ship	ping Name, Hazard Class, ar	nd ID Number)	No.	Type	13. Total Quantity	14. Unit Wt/Vol 1. Waste Number
RQ, Waste, Corrosive L	iguids. N.O.S.	(Chromic ac		.,,,,,,		State
Sulfuric acid), 8, UNI			To toppe say.	gregory	trojeg šave	792 EPA/Other
			0 0 1	TIT	24290	P 0002
b.						State 1221
	•					CONTRACTOR OF THE PROPERTY OF
				1. 4.	+ $+$ $+$ $+$	ERA/Other
c.		· · · · · · · · · · · · · · · · · · ·				State # 10 P
				2		#AU 200
						EPA/Other
d.						State
						FPA /Ohier
			1111			
. Additional Descriptions for Materials Listed A	(bove			K. Handling	Codes for Wast	es Listed Above
*)10 # E0106200002CR.			er tank,	e.	45	
drums in yard. 💎 🦠	later 93.3-96.5					
drums in yard. I Chromic acid 3–5%	Mitric acid 0-	CONTRACTOR LANGUAGE	acid U-L	74.1%	He services	
drums in yard. Chromic acid 3-52 Sulfuric acid 0.5-1	Nitric acid 0- Ammonium Nit	CONTRACTOR LANGUAGE	acio I-l	/-1.		d.
drums in yard. Chromic acid 3-5% Sulfuric acid 0.5-17 15. Special Handling Instructions and Additional	Nitric acto 0- X Ammonium Nit	rate 0-0.1%			DOT FRO	
drums in yard. Chromic acid 3-5% Sulfuric acid 0,5-13 15. Special Handling Instructions and Additions Emergency Response Tell	Nitric acto 0- X Ammonium Nit	rate 0-0.1%			DOT ER	i# 60.
drums in yard. Chromic acid 3-5% Sulfuric acid 0.5-17 5. Special Honolling Instructions and Additional	Nitric acto 0- X Ammonium Nit	rate 0-0.1%		itrec)		
drums in yard. Chromic acid 3-5% Sulfuric acid 0,5-15 15. Special Handling Instructions and Additional Emergency Response Telling. Door, 2006	Nitric acid U- Ammonium Nit al Information Lephone Mumber	rate 0-0.1% (800) 424-93	00 (Chen	itrec)	ill: 10	idaw
drums in yard. Chromic acid 3-5% Sulfuric acid 0,5-19 15. Special Hondling Instructions and Additional Emergency Response Telling. Door, 2006	Nitric acts U- Amountum Nitral Information Lephone Limber	(800) 424-93	00 (Chen	itrec)	bove by proper	idaw shipping name and are classifier
drums in yard. Chromic acid 3-5% Sulfunic acid 0,5-13 15. Special Handling Instructions and Additions Emergency Response Tell Ja. DOOT, DOOG 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in controlled.	Amontus Nital Information Nital Information Nital Importer Mimber of the Important of the I	(860) 424-93 the consignment are fully in for transport by highwa	and accurately y according to a	described of	bove by proper sederal, state and	shipping name and are classified international laws.
drums in yard. Chromic acid 3-5% Sulfuric acid 0.5-1 15. Special Handling Instructions and Additional Emergency Response Telling. 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in controlled.	Amontus With a lifernation lephone Limber with a lephone Limber with the contents of all respects in proper condition if that I have a program in	(860) 424-93 the consignment are fully in for transport by highway	and accurately according to a	described of applicable for y of waste	bove by proper sederal, state and	shipping name and are classified international laws.
drums in yard. Chromic acid 3-5% Sulfunic acid 0,5-13 15. Special Handling Instructions and Additions Emergency Response Tell Ja. DOOT, DOOG 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in controlled.	Amanium With all Information Lephone Limber y declare that the contents of all respects in proper condition in the that I have a program in selected the practicable method.	(860) 424-93 the consignment are fully in for transport by highway place to reduce the volude of treatment, storage,	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and fut.
drums in yard. Chromic acid 3-6% Sulfuric acid 0.5-17 15. Special Handling Instructions and Additional Emergency Response Tellow Door, Dooc 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a committed in the seconomically practicable and that I have subtreat to human health and the environme waste management method that is available.	Annual type William Information I ephone Limber y declare that the contents of all respects in proper condition in the that I have a program in selected the practicable method; OR, if I am a small quare to me and that I can afford	(860) 424-93 the consignment are fully a for transport by highway place to reduce the volude of treatment, storage, thirty generator, I have med.	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and futuate generation and select the b
drums in yard. Chromic acid 3-6% Sulfuric acid 0.5-17 15. Special Handling Instructions and Additional Emergency Response Tellow Telephone Tellow Telephone 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a committed to human health and the environme waste management method that is available.	Annual type William Information I ephone Limber y declare that the contents of all respects in proper condition in the that I have a program in selected the practicable method; OR, if I am a small quare to me and that I can afford	(860) 424-93 the consignment are fully in for transport by highway place to reduce the volude of freatment, storage, nitity generator, I have me	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and fut.
drums in yard. Chronic acid 3-5% Sulfuric acid 0.5-13 15. Special Handling Instructions and Additional Emergency Response Tellow Telephone Tellow Telephone 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a common tellow the subject of the economically practicable and that I have subject to human health and the environment waste management method that is available rinted/Typed Name Robert G. Ti	Amanium Milater Amanium Milater Milate	(860) 424-93 the consignment are fully a for transport by highway place to reduce the volude of treatment, storage, thirty generator, I have med.	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and futuate generation and select the b
drums in yard. Chromic acid 3-5% Sulfuric acid 0.5-13 15. Special Handling Instructions and Additional Emergency Response Tellow Door, Doog. 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a common to be a common	Amanium Milater Amanium Milate	the consignment are fully not reasonable to reduce the volument, storage, nitry generator, I have median	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and futuate generation and select the b
drums in yard. Chromic acid 3-5% Sulfuric acid 0.5-13 15. Special Handling Instructions and Additional Emergency Response Tellow Door, Doog. 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a common to be a common	Amanium Milater Amanium Milate	(860) 424-93 the consignment are fully a for transport by highway place to reduce the volude of treatment, storage, thirty generator, I have med.	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet and se
drums in yard. Chromic acid 3-5% Sulfuric acid 0.5-13 15. Special Handling Instructions and Additional Emergency Response Tellow Door, Doog. 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a common to be a common	Amon in Will al Information I ephone I mber y declare that the contents of all respects in proper condition ify that I have a program in selected the practicable methods, or, if I am a small quarte to me and that I can afford to Materials Signature of Materials Signature of Materials	the consignment are fully not reasonable to reduce the volument, storage, nitry generator, I have median	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet generation and select generation generation and select generation generation and select generation genera
drums in yard. Chromic acid 3-5% Sulfuric acid 0.5-1 15. Special Handling Instructions and Additional Emergency Response Tellow Door, Doog 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a commically practicable and that I have shreat to human health and the environme waste management method that is available Printed/Typed Name Printed/Typed Name Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt Printed/Typed Name 18. Iransporter 2 Acknowledgement of Receipt 19. Transporter 2 Acknowledgement 19. Tr	Amount of Manager Manager of Materials Amount of Manager of Materials Amount of Manager of Materials Amount of Materials Amount of Materials Amount of Materials	the consignment are fully not reasonable to reduce the volument, storage, nitry generator, I have median	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet and se
drums in yard. Chronic acid 3-5% Sulfuric acid 0.5-1 15. Special Handling Instructions and Additional Emergency Response Tellow Telephone Tellow Telephone 16. GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in compacted, marked, and labeled, and are in compacted. I have supposed to the compacted to human health and the environme waste management method that is available. Printed/Typed Name 16. Iransporter 1 Acknowledgement of Receipt Printed/Typed Name 16. Iransporter 2 Acknowledgement of Receipt Printed/Typed Name	Amount of Manager Manager of Materials Amount of Manager of Materials Amount of Manager of Materials Amount of Materials Amount of Materials Amount of Materials	the consignment are fully not transport by highway place to reduce the volod of freatment, storage, thirty generator, I have medicature	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet generation and select generation generation and select generation generation and select generation genera
Chronic acid 3-5% Sulfuric acid	Amount of Manager Manager of Materials Amount of Manager of Materials Amount of Manager of Materials Amount of Materials Amount of Materials Amount of Materials	the consignment are fully not transport by highway place to reduce the volod of freatment, storage, thirty generator, I have medicature	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet generation and select generation generation and select generation generation and select generation genera
Chromic acid 3-6% Sulfuric acid 3-6% Sulfuric acid 0.5-1 15. Special Handling Instructions and Additional Emergency Response Tellow Te	Amount of Manager Manager of Materials Amount of Manager of Materials Amount of Manager of Materials Amount of Materials Amount of Materials Amount of Materials	the consignment are fully not transport by highway place to reduce the volod of freatment, storage, thirty generator, I have medicature	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet generation and select generation generation and select generation generation and select generation genera
Chronic acid 3-5% Sulfuric acid	Amount of Manager Manager of Materials Amount of Manager of Materials Amount of Manager of Materials Amount of Materials Amount of Materials Amount of Materials	the consignment are fully not transport by highway place to reduce the volod of freatment, storage, thirty generator, I have medicature	and accurately y according to a	described of applicable for the property available for the property availab	bove by proper sederal, state and	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet generation and select generation generation and select generation generation and select generation genera
Chronic acid 3-5% Sulfunc acid	Amount in Nitral Information Information Imported Imported Important Information Important Information Information Important Information Important Information Information Important Information Information Important Information Informati	the consignment are fully in for transport by highway place to reduce the voloid of treatment, storage, thirty generator, I have measure the consideration of the consideration o	and accurately according to a cordisposal for a good fair	described of applicable from the effort to	bove by proper sederal, state and generated to the minimize my was	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet generation and select generation generation and select generation generation and select generation genera
Chronic acid 3-5% Sulfuric acid	Amendian Nitral Information Nitr	the consignment are fully in for transport by highway place to reduce the voloid of treatment, storage, thirty generator, I have measure the consideration of the consideration o	and accurately according to a cordisposal for a good fair	described of applicable from the effort to	bove by proper sederal, state and generated to the minimize my was	shipping name and are classified international laws. degree I have determined to minimizes the present and future generation and select the backet generation and select generation generation and select generation generation and select generation genera

DO NOT WRITE BELOW THIS LINE.

92746379 E CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-75

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESP

E0106200002CP. Waste mixed acids from Baker tank, ums in yard. Waser 93,3-96.55 mumic acid 3-5% Attric acid 0-0.5% Oxalic acid 0-0.1%

15. Special Handling Instructions and Additional Information

Emergency Response Telephone Mumber (800) 424-9300 (Chemtrec). DOT ERG # 60. Ia. D007

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment, OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Year Month Tuell, Jr. bert Signature Month Year

Printed/Typed Name

inature

19. Discrepancy Indication Space

Printed/Typed Name

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Nam

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (7/92) EPA 8700-22

NOTIVE NATIONAL

벁

CALL

Spill

ő

EMERGENCY

Yellow: GENERATOR RETAINS

Day

Year

Generator Name: Douglas Averaft (c EPA ID Number: CAROSCOTOCOS Manifest Number: 92746379 | 46379 Date of Shipment: 9/17/93 Indicate Waste Line Item (II): a

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulation described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treate to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and/o federal regulations.

California List Wastes Notification

Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization. Precipitation: Metals Recovery

(check those that apply)

	Arsenic and/or compounds (as As)	5.0	mg/L:
	Barium and/or compounds (as Ba)	100.0	mg/L:
	Cadmium and/or compounds (as Cd)	1.0	mg/L:
æ	Chromium (VI and/or compounds as Cr VI)	5.0	mg/L:
~ □	Lead and/or compounds (as Pb)	5.0	mg/L:
	Mercury and/or compounds (as Hg)	0.2	mg/L:
	Selenium and/or compounds (as Se)	1.0	me/L:
	Silver and/or compounds (as Ag)	5.0	mg/L

Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

Liquid hazardous wastes containing polychlorinated hiphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency hoiler, other thermal treatment

PC Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE Check constituent(s) on Table CCWE which are reduced below treatment standards

RCRA Land Disposal Notification

Waste Requires Treatment

I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D. or where not treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFF 268.32.

Waste Treated to Performance Standards

D The waste identified above has been treated in compliance with the applicable performance standars specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all appllicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Waste Subject to Variance

The waste identified above is subject to a case-hy-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr. x * Robert B. Juell, h.

(310) 533-7926



SERVICE C	ORDER 92-	<u> </u>
JOB NO.	240120	
DATE	9/17	

TRANSPORTATION SERVICE ORDER

Trans	portation ID #: CAD	00000	83121									
ا "ا	4501 Pacheco Blvd. Martinez, CA 94553 (510) 372-4800					3237 P Bakers (805) 8 (805) 5	field, (335-58	CA 93308 01 or		9	Wilming	"D" Street gton, CA 90744 18-4700
				1.		(000) 0						
	mer Name: 100	9/0	5 /	ince	oft			elephone: 83		4	7	
	Address:				71		c	Contact Person: 🔏	unt	- h	iard	·
	TOSTONCE			State	9			OE #:	-			
	ocation: Sc			· · · · · · · · · · · · · · · · · · ·				estination://0	rris	- Um	de	
Type o	of Material: <u>Chro</u>	mic	A	cid		Ú	s	ales Person:		****		*
Gener	ator: <u>Doug /a</u>	5 /	fire	coff.			=	PA Number:				****
Gener	ator ID Number (Stat	e): _ (CAU	5865	100	054	<u> </u>	acility EPA NO.: 🤇	PU.	0970	230	993
Dispos	sal: LES Facility	Ou	tside Fa	icility <u></u>	Nor	ne	<u> </u>	ustomer P.O		. * * ·		
Manife	est # 1274 G	379	<u> </u>	#				#		#	<u> </u>	
Servic	es Performed	nse	d E	Kin	sed	60	000	Gal. Up	Co	ihl	Bake	or The
als	0 17 POL	1	Down	ns. G	ind	TRIDE	e R	wse:				
	<u> </u>											
		•										
Start N	/liles:			End	Miles:			т,	tal Mi	les:		
Truck	No.: 160030	-			er No: _		Olio		et Wgl			
					Yang Katalan San				apacit			
Driver	Time: Start (AM/PM)	2.	المكال		Sto	n (M)	PWI	10:15				
	Start Time (AM/PM)	_		0.		p (AM/						
Other		-/4	<u> </u>	<u> </u>			• 141)			· · · · · · · · ·		
	1/1/1/1/1	- <	N	ニノ		tail				Time_		
Our	ner Site. Time In <u>5</u>	رور	MXI		טחי	ver No.			l Ota	al lime		
vustor	Time Out	10	<u>m</u> I ,		Dis	sposai S	1.00	and the second of the second o				
		<u>.</u>	_/	<u> </u>	_		П	me Out	Tim	e Out _		
ı=xpıan	nation of Time:		· · · · · · · · · · · · · · · · · · ·									
·										·		·
		<u> </u>			·		10	01111	~			· · · · · · · · · · · · · · · · · · ·
CUST	OMER AUTHORIZAT	ION A	AND AP	PROVAL	. SIGNA	TURE:	K	tet G. Ju	W)	Yn,		
										· · · · · · · · · · · · · · · · · · ·	-	
					FOR A	CCOUN	ITING (ONLY				
CODE	DESCRIPTION	QTY	UOM	RATE	E)		PROD CODE		QTY	UOM	RATE	EXT
	TRANS		ST					HAZ SOLIDS		1 1 1 1	A	
	TRANS TRANS		OT DT					N/HAZ SOLIDS HAZ LIQUIDS				
	2ND DRIVER						24010	N/HAZ LIQUIDS				
54045	SUBHAULER LABOR			ļ				DRUMS SOLID SURCHG			i i	
	BIN RENTAL			n nina jijaa sees asu	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	·		STABILIZATION	a production of the second	1-15 - 11 15 Maria	filetik i kifusper (and the grant of the fill That
	TRANS (NO DISP)		ļ					LIQ SURCHG				
	WASHOUT SCALE/CERTS							TAXES TAXES				
	SUBSISTENCE						34035	ANALYTICAL				
	TOLLS						74055	MISC CHARGES				
	TYVEK BOOTS			- P			/4055	MISC CHARGES	 4: 1	ng jara e		
90465	GOGGLES			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SPECE DE MESSE			The same of the sa				
	GLOVES BIN LINERS			*			<i>*</i> ≠					
	OTHERS					n egitta.	restriction is					
ļ		**** *****		participation of	1 1000 27	5 pag (4 pag)	3.00	1. 1. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1		1	

GROSS 59,560 Pounds TARE 35270 Pounds HET 24,290 Pounds	GALLONS: NUMBER: 46379/92746379
2/93 Chromic Ard	DISPOSAL FACILITY: Nerris DRIVER: James Axel STATE MANIFEST, DOCUMENT
VENDOR: L TRUCK #:: 1 DATE: 34	DISPOSAL FA DRIVER: STATE